

FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 5B




FIG. 5C




FIG. 5D




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11

FIG. 12

447






FIG. 13




FIG. 14




FIG. 15




FIG. 15A




FIG. 15B




FIG. 16




FIG. 17




FIG. 18

To	From	Subject	Contents
Data Center to viewer			
A	user@radvault.com	dc@radvault.com	image imageuid
B	user@radvault.com	dc@radvault.com	new report guid for studyuid
C	user@radvault.com	dc@radvault.com	del report guid for studyuid
D	user@radvault.com	dc@radvault.com	new overlay guid for imageuid
			CArchive overlay file

FIG. 19

To	From	Subject	Contents
Viewer to Data Center			
A	dc@radvault.com	user@radvault.com	new report guid fpr studyuid
B	dc@radvault.com	user@radvault.com	del report guid for studyuid
C	dc@radvault.com	user@radvault.com	new overlay guid for imageuid
D	dc@radvault.com	user@radvault.com	status image received imageuid
E	dc@radvault.com	user@radvault.com	status image viewed imageuid
F	dc@radvault.com	user@radvault.com	status overlay received guid for imageuid
G	dc@radvault.com	user@radvault.com	status report received guid for studyuid
H	dc@radvault.com	user@radvault.com	status report failed guid for studyuid
I	dc@radvault.com	user@radvault.com	status overlay failed guid for imageuid
			Native report file
			(Empty)
			CArchive ovl file
			(Empty)
			(Empty)
			(Empty)
			(Empty)
			(Empty)
			(Empty)
			(Empty)

FIG. 20




FIG. 21